

4 Technical data

Rated data

Rated data

Electrical data	R_B	P_d	Q_B	U_{max}
	[Ω]	[W]	[kWs]	[V _{DC}]
ERBP018R300W	18	300	30	800
ERBP027R200W	27	200	30	
ERBP033R200W	33	200	30	
ERBP033R300W		300	45	
ERBP047R200W	47	200	30	
ERBP082R200W	82	200	30	
ERBP180R200W	180	200	30	
ERBP180R300W		300	45	


R_B	Resistance
P_d	Permanent power
Q_B	Heat quantity
U_{max}	Max. operating voltage

kabea GmbH (Innovative Antriebe)
Koßmannstraße 47, D-66538 Neunkirchen
Telefon:+49 (0)6821/919238, Fax:+49 (0)6821/919239
<https://www.becker-antriebstechnik.org/>


4 Technical data

Mechanical data

Mechanical data



ERBP002

	a	b	b3	a1	c3	e	e6	g1	g2	g2	s	
	[mm]											[kg]
ERBP018R300W												1.4
ERBP033R300W	320			285	310							1.0
ERBP180R300W												1.0
ERBP027R200W												1.4
ERBP033R200W		122	45			41	18	6	6	10	500	1.0
ERBP047R200W	240			205	230							1.0
ERBP082R200W												1.0
ERBP180R200W												1.4

kabea GmbH (Innovative Antriebe)
 Koßmannstraße 47, D-66538 Neunkirchen
 Telefon: +49 (0)6821/919238, Fax: +49 (0)6821/919239
<https://www.becker-antriebstechnik.org/>