

The inverter for constant motion.



The BaseLine version is the entry-level model in terms of functionality and drive behaviour. Featuring an integrated keypad and everything you would expect from a modern frequency inverter suitable for universal use, the 8400 BaseLine is the ideal solution for applications such as conveyor drives, pumps, fans or ventilators.

Highlights

- V/f control without feedback (linear or square-law)
- Sensorless vector control
- Flying restart circuit
- PID controller
- I²t motor monitoring



8400 BaseLine Technology – At a glance

Performance data	
Mains: 1 AC 230/240 V	0.25 to 2.2 kW
Mains: 3 AC 400/500 V	0.37 to 3.0 kW
Overload current	
	150 % (60 s) Up to 200 % (3 s)
Operating conditions	
	Operating temperature -10 °C to +55 °C (derating above 45 °C: 2.5 %/K) IP20 enclosure
Functions	
	DC brake function Flying restart circuit, PID controller Sensorless vector control
Interfaces	
	Memory modules, L-force diagnostics interface CANopen optional Integrated brake chopper External 24 V supply Digital inputs / outputs (5/1), analog inputs / outputs (1/1), relay
Approvals	
	CE, UL, EAC, RoHS



kabea GmbH innovative Antriebe
 Koßmannstraße 47 • D-66538 Neunkirchen • Deutschland
 Tel: +49 (0)6821/919238 • Fax: +49 (0)6821/919239
 Email: becker@kabea-gmbh.de • www.becker-antriebstechnik.org

www.Lenze.com